



2024 edition

# Immunization Schedule

Name of Vaccine	Administered	0year	1month	2months	3months	4months	5months	6months	7months	8months	9-11months	12-15months	16-17months	18-23months	2Age	3Age	4Age	5Age	6Age	7Age	8Age	9Age	10Age
<b>DPT-IPV-Hib</b> From April 2024	Inactivated vaccine		every over 3 weeks											④		Routine vaccination for children born after February 2024 and vaccinated for the first time after April.							
<b>DPT+IPV</b>	Inactivated vaccine		① ② ③											④		Children who started vaccination before April 2024 should complete 4 doses of the Hib vaccine combination.							
<b>Haemophilus influenzae type b (Hib)</b>	Inactivated vaccine	① ② ③											④		People who have received the DPT-IPV-Hib do not need to be vaccinated again.								
<b>Pneumococcal conjugate</b>	Inactivated vaccine	① ② ③											④										
<b>Hepatitis B</b> (excluding prevention of perinatal infection)	Universal	① ② ③											④										
	Maternal and child infection prevention	① ② ③											④										
<b>Rotarix</b> Monovalent	Live vaccine	① ② ③											④										
<b>RotaTeq</b> 5-valent		① ② ③											④										
<b>Diphtheria, tetanus (DT)</b>	Inactivated vaccine														11age 12age ① Don't forget it!								
<b>BCG</b>	Live vaccine	Don't be given at under 3 months after birth. ①													The best period for BCG is when your child is over 5 months after birth.								
<b>MR</b> (measles and rubella combined)	Live vaccine												①		② The final year of kindergarden								
<b>Varicella (chicken pox)</b>	Live vaccine												① ②		The 2nd vaccination should be given at an interval of over 3 months after the 1st vaccination.								
<b>Mumps</b>	Live vaccine												①		② The 2nd vaccination is recommended to be administered simultaneously with MR.								
<b>Japanese encephalitis</b>	Inactivated vaccine												① ② ③		Several local governments recommend to start the vaccination from 6 months after birth. ④ 9~12age Don't forget the 4th vaccination.								
<b>Influenza</b>	Inactivated vaccine												① ②		every fall ① ② About 13 years old ①								
<b>HPV 9-valent vaccine</b>	Inactivated vaccine												① ② ③		Under 15 years old complete 2 doses, 15 years and older complete 3 doses. Girls can start the vaccination as routine. ① ② ③ ④								



Recommended time period for routine vaccination

Target age for routine vaccination

Recommended time period for voluntary vaccination

Age when voluntary vaccines may be administered

Time period for vaccination by health insurance

